

PLA

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

A safety data sheet is not required for this product. This document was created on a voluntary basis.

SDS ID: UM00008_AU

Issue date: 11/10/2023 Version: 1.0

SECTION 1: Identification

1.1. GHS Product identifier

Product form : Mixture
Trade name : PLA
(Green, Black, White, Transparent, Orange, Blue, Red, Yellow, Silver Metallic, Magenta, Pearl White)

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Restrictions on use : This product must not be used in applications other than those identified above, without first seeking advice of the supplier

1.4. Supplier's details

Supplier

UltiMaker

Watermolenweg 2

Geldermalsen, 4191 PN

The Netherlands

T +31 (0) 88 383 4000 (9 AM - 5 PM CET)

Product-Compliance@Ultimaker.com

1.5. Emergency phone number

Emergency number : +31 (0) 88 383 4000
(during office hours: 9 AM - 5 PM CET)

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Not classified

2.2. GHS Label elements, including precautionary statements

GHS AU labelling

No labelling applicable

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Risk of thermal burns on contact with molten product.

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Comments : Polylactic acid

| Name | Chemical name / Synonyms | Product identifier | Conc. (% w/w) | Classification (GHS CA) |
|--|--------------------------|---------------------|---------------|-------------------------|
| Polylactic acid | - | CAS-No.: 9051-89-2 | > 95 | Not classified |
| Carbon black (Additive for PLA Black) | - | CAS-No.: 1333-86-4 | < 2 | Not classified |
| Titanium dioxide (Additive for PLA White, Green, Blue, Magenta) | - | CAS-No.: 13463-67-7 | < 1 | Not classified |

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. In molten state: Hazardous vapours may be released.
- First-aid measures after skin contact : Take off contaminated clothing. Wash skin with plenty of water and soap. In case of contact with molten product, cool rapidly with water and seek immediate medical attention. Do not attempt to remove molten product from skin because skin will tear easily. Burns caused by molten material must be treated clinically.
- First-aid measures after eye contact : Rinse eyes with water as a precaution. In the event of contact with molten product: Immediately flush eyes thoroughly with water for at least 15 minutes. Get immediate medical advice/attention.
- First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.
- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

4.2. Symptoms caused by exposure

- Symptoms/effects : No acute and delayed symptoms and effects are observed.
- Symptoms/effects after skin contact : Risk of thermal burns on contact with molten product.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

- Other medical advice or treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

- Suitable extinguishing media : Use extinguishing media appropriate for surrounding fire: Water spray, Dry powder, Foam, Carbon dioxide.
- Unsuitable extinguishing media : Do not use a solid water stream as it may scatter and spread fire.

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

5.2. Specific hazards arising from the chemical

- Explosion hazard : Material can accumulate some static charge during transfer. Prevent build-up of electrostatic charges (e.g. by grounding).
- Hazardous decomposition products in case of fire : Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide, Aldehydes.

5.3. Special protective actions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Precautionary measures fire : Do not allow run-off from fire-fighting to enter drains or water courses.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.2. Environmental precautions

- Methods for cleaning up : Sweep up and put in a closed container for disposal. If melted: allow liquid to solidify before taking it up.
- Other information : Dispose of materials or solid residues at an authorized site.

6.3. Methods and materials for containment and cleaning up

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage, including how the chemical may be safely used

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. In molten state: Do not breathe vapours. Avoid contact with skin, eyes and clothing. Wear personal protective equipment.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : To guarantee the quality and properties of the product: Store in a well-ventilated place. Store in original container. Keep container tightly closed to avoid moisture absorption and contamination.
- Incompatible materials : Oxidising agents. Strong bases.
- Heat and ignition sources : Keep away from heat, sparks and flames. Keep out of direct sunlight.
- Storage temperature : -20 – 30 °C (Relative air humidity: <50%)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters - exposure standards

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

| Titanium dioxide (Additive for PLA White, Green, Blue, Magenta) (13463-67-7) | |
|---|--|
| Australia - Occupational Exposure Limits | |
| Local name | Titanium dioxide |
| TWA (mg/m ³) | 10 mg/m ³ |
| Remark (AU) | (a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica. |
| Regulatory reference | Workplace exposure standards for airborne contaminants (2019) |

| Carbon black (Additive for PLA Black) (1333-86-4) | |
|--|---|
| Australia - Occupational Exposure Limits | |
| Local name | Carbon black |
| TWA (mg/m ³) | 3 mg/m ³ |
| Regulatory reference | Workplace exposure standards for airborne contaminants (2022) |

8.2. Appropriate engineering controls

- Appropriate engineering controls : Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, fumes or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Ventilation conditions (1 printer): Provide a good standard of general ventilation, not less than 2 air changes per hour (assumes a room volume of: 30 m³).
- Environmental exposure controls : Avoid release to the environment.

8.3. Appropriate engineering controls

| |
|--|
| Hand protection: |
| None under normal conditions. Use insulated gloves when handling this material hot |
| Eye protection: |
| None under normal use. In molten state: Wear eye protection |
| Skin and body protection: |
| None under normal use. In molten state: Wear suitable protective clothing |
| Respiratory protection: |
| None under normal use. In molten state: In case of insufficient ventilation, wear suitable respiratory equipment |

Thermal hazard protection:

Risk of thermal burns on contact with molten product. Hazardous vapours may be released. In molten state: Wear respiratory protection/heat resistant gloves.

Other information:

Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Wash hands immediately after handling the product. Take off contaminated clothing and wash before reuse.

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

| | |
|---|---|
| Physical state | : Solid |
| Appearance | : Filament |
| Colour | : Various colours |
| Odour | : Slight |
| Odour threshold | : No data available |
| pH | : No data available |
| Relative evaporation rate (butylacetate=1) | : No data available |
| Relative evaporation rate (ether=1) | : No data available |
| Melting point | : 145 – 160 °C |
| Freezing point | : Not applicable |
| Boiling point | : No data available |
| Flash point | : Not applicable |
| Auto-ignition temperature | : 388 °C |
| Decomposition temperature | : > 250 °C |
| Flammability (solid, gas) | : Non flammable |
| Vapour pressure | : No data available |
| Relative vapour density at 20°C | : No data available |
| Relative density | : No data available |
| Density | : 1.24 g/cm ³ |
| Solubility | : Water: Insoluble Organic solvent: Chloroform |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Viscosity, kinematic | : Not applicable |
| Explosive limits | : Not applicable |
| Particle size distribution | : Not applicable |

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

| | |
|------------------------------------|--|
| Reactivity | : The product is non-reactive under normal conditions of use, storage and transport. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : No dangerous reactions known under normal conditions of use. |
| Conditions to avoid | : None under recommended storage and handling conditions (see section 7). Do not expose to temperatures above 300 °C. |
| Incompatible materials | : Oxidising agents. Strong bases. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. Under fire conditions, hazardous fumes will be present: Carbon dioxide, Carbon monoxide, Aldehydes. |
| Hardening time: | : |

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SECTION 11: Toxicological information

11.1. Effects on humans

| | | |
|-----------------------------------|---|----------------|
| Acute toxicity (oral) | : | Not classified |
| Acute toxicity (dermal) | : | Not classified |
| Acute toxicity (inhalation) | : | Not classified |
| Skin corrosion/irritation | : | Not classified |
| Serious eye damage/irritation | : | Not classified |
| Respiratory or skin sensitization | : | Not classified |
| Germ cell mutagenicity | : | Not classified |
| Carcinogenicity | : | Not classified |
| Reproductive toxicity | : | Not classified |
| STOT-single exposure | : | Not classified |
| STOT-repeated exposure | : | Not classified |
| Aspiration hazard | : | Not classified |

| | |
|---|---|
| PLA (Green, Black, White, Transparent, Orange, Blue, Red, Yellow, Silver Metallic, Magenta, Pearl White) | |
| Viscosity, kinematic | Not applicable |
| Symptoms/effects | : No acute and delayed symptoms and effects are observed. |
| Symptoms/effects after skin contact | : Risk of thermal burns on contact with molten product. |

SECTION 12: Ecological information

12.1. Toxicity

| | | |
|---|---|---|
| Ecology - general | : | The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Hazardous to the aquatic environment, short-term (acute) | : | Not classified |
| Hazardous to the aquatic environment, long-term (chronic) | : | Not classified |

| | |
|--|-------------|
| Titanium dioxide (Additive for PLA White, Green, Blue, Magenta)(13463-67-7) | |
| LC50 fish 1 | > 1000 mg/l |

12.2. Persistence and degradability

| | |
|---|--------------------|
| PLA (Green, Black, White, Transparent, Orange, Blue, Red, Yellow, Silver Metallic, Magenta, Pearl White) | |
| Persistence and degradability | Not biodegradable. |
| Poly(lactic acid)(9051-89-2) | |
| Biodegradation | Not biodegradable |

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

12.3. Bioaccumulative potential

| | |
|--|---------------------|
| PLA (Green, Black, White, Transparent, Orange, Blue, Red, Yellow, Silver Metallic, Magenta, Pearl White) | |
| Bioaccumulative potential | No bioaccumulation. |

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional waste regulation : Dispose of in accordance with relevant local regulations.
Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations : Empty containers should be taken for recycling, recovery or waste in accordance with local regulation.

SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

| ADG | IMDG | IATA |
|---|----------------|----------------|
| 14.1. UN number | | |
| Not regulated for transport | | |
| 14.2. Proper Shipping Name | | |
| Not applicable | Not applicable | Not applicable |
| 14.3. Transport hazard class(es) | | |
| Not applicable | Not applicable | Not applicable |
| 14.4. Packing group | | |
| Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | |
| Not applicable | Not applicable | Not applicable |
| No supplementary information available | | |

14.6. Special precautions for user

ADG

No data available

IMDG

No data available

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| | | |
|---------------------------|---|---|
| National regulations | : | All the chemicals contained in this product are listed introductions. This chemical is not covered by the Standard for the Uniform Scheduling of Medicines and Poisons. This chemical is not covered by the Agricultural and Veterinary Chemicals Act 1988. |
| International regulations | : | Not subject to the Basel Convention (Hazardous Waste). Not subject to the International Convention for the Prevention of Pollution from Ships (MARPOL). Not subject to the Montreal Protocol (Ozone depleting substances). Not subject to the Rotterdam Convention (Prior Informed Consent). Not subject to the Stockholm Convention (Persistent Organic Pollutants). |

SECTION 16: Any other relevant information

| | | |
|------------------------|---|--|
| Version | : | 1.0 |
| Issue date | : | 11/10/2023 |
| Indication of changes: | : | Not applicable. |
| Training advice | : | Ensure staff are informed of and trained on the nature of exposure and basic actions to minimise exposure. |

Abbreviations and acronyms:

| | |
|------|---|
| ADG | Transport of Australian Dangerous Goods |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstract Service number |
| GHS | Globally Harmonized System of Classification and Labelling of Chemicals |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LD50 | Median lethal dose |
| OECD | Organisation for Economic Co-operation and Development |
| OEL | Occupational Exposure Limit |
| SDS | Safety Data Sheet |
| STEL | Short-term exposure limit |
| TWA | Time Weighted Average |

PLA

Safety Data Sheet

according to the Work Health and Safety (WHS) Regulations

SDS AU (GHS Australia) - UM

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.